



Il modello Canova è la soluzione ideale per la chiusura dei garage collocati in contesti architettonici dove la presenza del legno è un elemento predominante. Il portone sezionale Canova conserva la stessa struttura dei portoni realizzati con i pannelli di lamiera in acciaio, con l'unica differenza che il manto è composto da pannelli di legno massello.

Lo stile inconfondibile del legno lo si percepisce dai disegni proposti: cassettoni, doghe orizzontali o verticali ma è possibile scegliere anche tra una vasta gamma di pantografati, anche su disegno specifico del cliente.

*Canova doors constitute the ideal solution for garages located in architectural contexts sharply marked by the employment of wood. Canova sectional doors' basic structure is the same as standard, steel-panel doors' one, except for panels which are made of solid timber.*

*Multiple design options can make you sense solid timber's unmistakable style: raised motifs; horizontal or vertical staves; a wide variety of pantographed motifs, even specifically customer-designed ones.*





Qualsiasi sia il disegno del pannello: a doghe verticali ed orizzontali, a cassettoni o pantografati, ci si rende subito conto della lavorazione artigianale del legno. L'inserimento della porta pedonale non altera la continuità del disegno, così come anche le finestrate e le griglie sono collocabili a libero piacimento, personalizzando l'aspetto estetico e rendendo la porta ancor di più unica.

I materiali normalmente utilizzati sono il Larice, l'Abete, il Pino Russo Fenolico, l'Okoumè e, a richiesta, altre essenze vengono opportunamente trattate per essere collocate all'esterno. È possibile scegliere tra verniciatura tinta legno naturale abete, larice e pino, rovere abete e okoumè, pino abete e okoumè, noce abete e okoumè, noce chiaro abete, okoumè e pino, noce scuro abete, okoumè e pino, teak abete e okoumè, castagno abete e pino, ebano abete e okoumè, verde abete. È possibile la soluzione laccata facendo riferimento ai colori della mazzetta Ral.

*Whatever the design is (vertical or horizontal staves; raised motifs or pantographed patterns), timber's craftsmanlike processing can be immediately perceived. Pedestrian doors do not alter door design continuity; moreover, windows and ventilation grills can be placed as desired, which makes the door's look quite personal and the door itself more unique.*

*The most commonly used woods are: larch; spruce; Russian pine; and okoumé. Nevertheless, other types of wood can be supplied upon request. All types of wood are properly coated for external use. Possible wood-color shades: natural (spruce, larch and pine) - durmast (spruce and okoumé) - pine (spruce and okoumé) - walnut (spruce and okoumé) - light walnut (spruce, okoumé and pine) - dark walnut (spruce, okoumé e pine) - teak (spruce and okoumé) - chestnut (spruce and pine) - ebony (spruce and okoumé) - green (spruce) Alternative option: lacquered finish in any RAL color.*



